

## Doro 615R+3 Manual

English



Doro PhoneEasy®  
332gsm

**File Name:** Doro 615R+3 Manual.pdf

**Size:** 4806 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 13 May 2019, 22:55 PM

**Rating:** 4.6/5 from 694 votes.

**Status:** AVAILABLE

Last checked: 16 Minutes ago!

**In order to read or download Doro 615R+3 Manual ebook, you need to create a FREE account.**

[\*\*Download Now!\*\*](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Doro 615R+3 Manual . To get started finding Doro 615R+3 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# Doro 615R+3 Manual

Manual, presented here, contains 12 pages and can be viewed online or downloaded to your device in PDF format without registration or providing of any personal data. We remind you, that it is highly advisable to carefully read the instructions before starting of using Doro 615r, in case of unforeseen situations you need immediately contact the nearest service center. Fully charged batteries 10 hours charging will last for approx. 100 hours standby time or approx. 10 hours call time. These times apply at normal room temperature. These marks indicate the products comply with the regulations and can be used without concern in the country of purchase. The signal will stop automatically after a while or if the L button on the handset or the J button on the base unit is pressed. The right choice of power source directly affects on the lifecycle of the equipment, and the amount of energy consumed will help optimize costs when using it. Talk button Connection Disconnect button. Programming English. Battery. Because batteries only have a certain lifespan it is quite normal that call time and Fully charged batteries 10 hours charging will last for approx. 100 hours standby time Full battery capacity will not be reached until the batteries have been charged 45 times. The base unit has an automatic charging mechanism that prevents the batteries from Battery LED. When the batteries are running low, the indicator will show Please note that the battery indicator in the display will flash as long as the handset is. Making a call Press L to terminate the call. Receiving a call Lift the handset. Please note! Please remember that in speaker mode, it is only When the battery is low or when there is too great a distance to the base unit the telephone will be The base unit should not be located close to other electrical equipment, in direct sunlight or near any This is to minimize the risk of any interference. It is normal for the device to become warm during charging and this is not dangerous. <http://www.avtocitycenter.ru/userfiles/92-honda-accord-manual-transmission.xml>

- **doro 615r 3 manual, doro 615r 3 manual pdf, doro 615r 3 manual download, doro 615r 3 manual free, doro 615r 3 manual instructions.**

Use only original batteries. The guarantee does not cover any damage caused by incorrect batteries. Range. The telephone's range depends on whether or not the radio waves carrying the call are Sound quality declines as the limit is reached until the call is finally interrupted. Volume control. Call Back. Scroll among the 5 most recently dialled numbers with r. Press O. English. Mute button. KeyGuard. Paging. The handset will ring when J on the base unit is pressed. The signal will stop Memory. This telephone has 10 speed dial memory locations. A stored phone number can be dialled using fewer keystrokes. If you want a pause in the telephone number, press and hold 0 until the display shows P. Storing speed dial memory locations Dialling using speed dial memories You can also enter the memory Erasing all speed dial numbers. Incoming numbers Caller ID. The display shows you who is calling and the 10 most recent incoming numbers. If one and the same number calls in more than once it will be saved as only one entry. This function requires a subscription from your service provider. Retrieving and dialling incoming numbers Erasing all numbers. Caller identification messages. In addition to number display, sometimes the following message is shown English. Settings Command. Function PIN code. The PIN code four digits provides protection against unauthorised use of certain The handset number used for internal calls is shown in the display on standby mode. The base unit should be positioned centrally so that the coverage area is roughly equal It is not possible to add extra handsets at a later point. INT calls A tone will be heard if an external call comes in while an internal call is in progress. Terminate the internal call by pressing L before receiving the external call with O. English. Answering machine 615r only. When the

answering machine is switched on calls are answered after six ringer signals, Outgoing message. The outgoing message max. 3 minutes is heard by incoming callers. <http://norrlanet.se/userfiles/92-honda-accord-parts-manual.xml>

Playback of messages. The a symbol is shown in the upper right corner of the display when there are new A beep is heard between old and Command. Function Delete all old messages. Settings in answering machine Press commands as listed below, e.g. 3 for Call screening. Command.

Function You can press O or lift the handset of another phone to talk to the Change Remote PIN. The Remote PIN four digits protects against unauthorised remote control. The memory will store a total of 8 minutes of messages including the outgoing message. F flashes in the display if the memory is full, and no new messages can be received PLEASE NOTE! Remember to delete messages regularly! Remote control. This machine can be remote controlled using the keys of an ordinary tone dialling telephone. One beep confirms correct code. Command. Function Please note! If the machine doesn't respond to the remote control commands, try pressing the telephone buttons for a In normal cases, the answering machine should react to tones approximately 0.5. Troubleshooting. Check that the telephone cord is undamaged and correctly plugged in. Disconnect any If the problem is resolved, the Test the equipment on a known working line e.g. If the equipment works there then the fault is probably with Check the charge status of the handset batteries. If the telephone still does not work, contact the place of purchase. Don't forget the Specific Absorption Rate SAR. This device meets approved international safety requirements for exposure to radio. Guarantee. This product is guaranteed for a period of 12 months from the date of purchase. In This guarantee shall not apply to a fault caused by an accident or a similar incident or Furthermore, this guarantee shall not apply to a fault As a matter of precaution, Batteries are consumables and are not included in any guarantee. This guarantee does not apply if other batteries than DORO original batteries have Declaration of conformity.

Doro hereby declares that the Doro 615r conforms to the essential requirements and You can also contact us in writing Customer Services, Doro UK Ltd, 1 High Street. Chalfont St Peter, Buckinghamshire, SL9 9QE regarding any Spares or Technical query. Further contact details are available on our website [www.dorouk.com](http://www.dorouk.com). Australia and New Zealand. Products permitted for connection to the telephone network are marked with in Australia and As an alternative you can visit our web site for FAQ's or send an Guarantee. This product is guaranteed for a period of 12 months from the date of purchase. Should you experience difficulties with the product, please contact us for assistance. If the product is then found to be faulty you will be asked to return it directly to us This guarantee shall not apply to a fault caused Furthermore, this guarantee shall not apply to a fault caused by a thunderstorm or This guarantee does not affect your statutory rights. PO Box 6760. Baulkham Hills BC NSW 2153 Australia. Consumer Support. Ph Ph 1300 885 023 Fax 02 88538489. Web site [www.doro.com.au](http://www.doro.com.au) Private Bag 14927. Panmure. Auckland. New Zealand. Ph 090050025 Toll Call. Fax 09 5742722. REN RN for New Zealand. The REN Ringer Equivalence Number or RN is of significance only if you wish to A standard telephone line has alt is possible to connect 3 devices with a REN Exceeding this limit Telecom has accepted that the item complies with the minimum conditions for It indicates no endorsement of the product by Telecom, nor Above all, it provides no assurance that any item Telecom's network services. This equipment shall not be set to make automatic calls to the Telecom "111". Emergency Service. This equipment may not provide for the effective handover of a call to another device This equipment should not be used under any circumstances that may constitute a DO NOT dial the area code digit or the "0" prefix. Version 1.0. English Contents. Installation. 1. Installing the SIM card, memory card and the battery. 1.

<https://www.location-guide-saarland.de/fr/inhalt/daihatsu-sirion-2000-manual-pdf>

Charging. 3. Symbols. 4. Helpful settings. 4. Phone indicators. 4. External display. 4. Display status symbols. 5. Display main symbols. 6. Operation. 7. Activating the phone. 7. Making a call. 8. Making

a call from the Phonebook. 8. Receiving a call. 8. Volume control. 9Call options.11. Call waiting.12. Call information.12. Speed dialHeadset.12. SOS calls.13Phonebook.15. Creating a phonebook entry.15. Creating ICE entry In Case of Emergency.15. Managing phonebook entries.16. ICE In Case of Emergency.17. Messages.19. Creating and sending SMS.19. Creating and sending voice message.19. Creating and sending MMS.20. Inbox, Sent, Outbox.22. Call log.24. Retrieving and dialling.24. Camera take photos.25. Camera adjustments.25. Image viewer.26. Image viewer, options.26. Settings.28. General.28. Sound.32. DisplayMessages.40. Camera.44. Emergency.44. Connectivity.46. Security.48. File manager.51. Additional functions.54. Alarm.54. Calendar.54. Calculator.55. FM radio.55. Instructions for the REMOTE USER.58. Troubleshooting.63. Safety instructions.66. Network services and costs.66. Operating environment.66. Medical units.66. Areas with explosion risk.67. Emergency calls.67. Vehicles.67. Care and maintenance.68. Warranty.69. Specifications.69. Hearing aids.69. Specific Absorption Rate SAR.69. Declaration of Conformity.69. InstallationInstalling the SIM card, memory card and the battery. The SIM and memory card holder's are located inside the batteryInsert the SIM card by gently sliding it into the holder. Make sureTake care not to scratch orOptional Insert the memory card into the slot under the SIMTo remove or replace the card, push the card in until you hear aInsert the battery by sliding it into the battery compartment withReplace the batteryCompatible card type microSD, microSDHC. Incompatible cards may damage the card and the device and corruptMemory cards are sold separately.

ChargingConnecting otherWhen the battery is running low,The battery charge indicator willIt takes approximately 3 hours to fullyNote! To save power the LCD backlight goes off after a while. Press anyFull battery capacity will not beSave energy. When you have fully charged the battery and disconnected the chargerSymbols. Helpful settings. The following symbols will guide you to chapters in manual withVisibility. Hearing. Handling. Safety. Phone indicators. LED light on the phone willExternal display. The external display shows the time, a number of status indicators,See Display mainThe external display canIf the external displayDisplay status symbols. Network signal strengthNetwork signal strengthRing onlyBluetooth on, visible toBluetooth on, invisible toVibration only. Silent. Roaming in otherBluetooth connected. Missed call. Alarm active. Call forward activated. Battery level. Voice mail messageHeadset connectedDisplay main symbols. Insert SIM. Charger connect. SIM card damaged or notCharger removed. Mute. Headset in. Message sending success. Headset out. Message sending failed. Speaker on. Error. Speaker off. Warning. Incoming call. Query. Outgoing call. Done confirmed. Call ended. New message. Missed call. Press ReadBattery level low. Call onhold. Searching. SOS calls only. Emergency call. Processing, please waitVolume controlOperation. Activating the phone. Press and hold the red button. Confirm with Yes to power off. The following messages may be displayed. SIM card missing or incorrectly inserted. SIM card damaged or not valid. If the SIM card is valid but protected with a PIN code Personal. Identification Number, PIN is displayed. Enter the PIN code andDelete with Clear Note! If PIN and PUK codes were not provided with your SIM card,When no moreThe SIM card must nowEnter a new PIN code and confirm with OK. Reenter new PIN code and confirm with OK. Standby Idle mode. When the phone is ready to use, and you have not keyed in anyLeft soft key in standby is Menu.

Right soft key in standby is Name. Tip. You can always pressChanging the language, time and date. The default language is determined by the SIM card. See. Making a callDelete with. Clear. PressPressTip. Making a call from the PhonebookUse the arrow keysPress Call to dial the selected entry, or press Back to return toReceiving a call. To answer an incoming call when the fold is closed, open the fold. To answer an incoming call when you have set Open to answer to OffAlternatively, press. PressTipVolume controlIf you use hearing aid or haveEntering text. Text is entered by pressing the numerical keys repeatedly to selectSelect the desired characterEntering text with predictive textPress each key once, even if the displayed character is not the oneUsePress Select

and continue with the next word. Alternatively, press 0 to continue with the next word. AbcAbcUPPER CASE with predictive textSentence caseNumerals. Note! The selected menu language determines the available inputCall options. During a call the soft keys1 Options left soft key. A menu with the following options is displayed. Hold singleEnd single call. End all calls. New call. Phonebook. Messages. End the current call same asCall another number Conference. Search the phonebook. Write or read messages. Disable the microphone. SPK on right soft keyActivates handsfree mode, which allows you to speak without holdingSPK off to return to normal mode. The handsfree function allows only one person at a time to talk.The current key function is shown aboveCall waiting. An alert tone will be heard if there is an incoming call while talking. To put the current call on hold and answer the incoming call, press. Options, select Answer and then OK. Call information. During a call, the outgoing or incoming phone number and theIf the identity of the caller is withheld. Unknown is displayed. Speed dial. You can use keys A, B and C and you can also use the numericalSilent.

Silent is a fixed profile with Keypad tone, Message tone and Ring toneTip. Headset. When a headset is connected, the internal microphone in the phone isWhen receiving a call you can use the answer key on the headsetSOS calls. As long as the phone is switched on, it is always possible to placeSIM card. Contact your service provider for more information. Emergency keyThe Emergency key allows you easy access to contact predeterminedTo make an emergency call, press and hold the Emergency key onThe Emergency function must be activated before use. SeeThe Emergency function can also be configured so that the receiverIf there is a risk that the emergency call will be answered by a voiceNote! When an emergency call is activated the phone is preset toAutomatic calls to emergency numbers e.g. 112, 999, 911 orSome private security companies can accept automatic calls fromAfter receiving the emergency message, each number in the. Numbers list will be called sequentially. To confirm the emergency call, the receiver need to press 0. If the receiver doesn't press 0 within 60 seconds the callIf the receiver press 0 within 60 seconds, the call is confirmedPhonebook. The Phonebook can store 300 entries with 3 phone numbers in eachCreating a phonebook entrySelect New contact and press Add.Name for the contact, see Entering textDelete with Clear. UseMobile number. Home numberOffice number, and enter the phone numbers includingSelect. Picture and press Edit to associate a picture to theThis picture will be displayed when the correspondning contactPressTip. Creating ICE entry In Case of Emergency. With this additional information and medical information, firstManaging phonebook entriesSelect a contact and press Options. Select one of the following options and press OK. View. Show details for the selected contact. EditPress Save.Add. See Creating a phonebook entry, p.15. Send SMS. Press OK to write a SMS message, see Creating and sending SMS,Call. Press OK to call the contact. Delete.

Press OK to delete the selected phonebook entry. Press Yes to confirmDelete all. Select From SIM or From phone and press OK to delete all phonebookEnter the phone code and press OK to confirm. The default phoneCopy all. Select From SIM and press OK to copy all phonebook entries from the. SIM card to the phone memory. Press Yes to confirm or No to abort. Select From phone and press OK to copy all phonebook entries fromPress Yes to confirm or No toSend vCard. Select Send by SMS and press OK to send the selected phonebookAlternatively use the arrow keysSelect Via Bluetooth and press OK to send the selected phonebookICE In Case of Emergency. With this additional information and medical information, firstSelectPress Edit. UseName. Enter your own name. Birth. Enter your date of birth.Height. Weight. Language. Insurance. Contact 1. Enter your height. Enter your weight. Enter your language. Enter your insurance provider and policy number. Press Options and then OK to Add or Delete yourContact 2 Press Options and then OK to Add or Delete yourDoctor. Press Options and then OK to Add or Delete yourAllergies. Enter any known allergies e.g. penicillin, beeBlood type Enter your blood type. Vaccination Enter any relevant vaccination. Medication Enter any medication that you are treated with. Other info Enter your other info. e.g. organ donor, living will,PressMessages. Press shortcut keyCreating and sending SMS. Before you

can send any SMS, you need to save your messageIf not, youSelect SMS and press OK. Type your message, see Entering textSelect an already added recipient from Phonebook and press Add.

<http://seasailing.us/node/2198>